

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	370	349/39.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:34
L2	2	"US 20050012871"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/01/08 09:49
L3	31	349/33,34,146.ccls. and (storage adj capacitor capacitance) same (aperture hole opening gap) same electrode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/01/08 09:54
L4	37	349/33,34,146.ccls. and (storage adj capacitor capacitance) same (aperture hole opening gap)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/01/08 09:51
L8	566	349/33,34,146.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/01/08 09:54
S4	601	349/38.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 17:24
S8	7883	"349"/\$.ccls. and ((optically adj self-compensated adj birefringence) or (OCB) or (optically adj compensated adj bend) or (optically compensated birefringence))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 16:45
S10	17	"349"/\$.ccls. and optically adj self-compensated adj birefringence	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 17:01
S11	406	"349"/\$.ccls. and "splay"	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 17:13
S12	183	"349"/\$.ccls. and "splay" same bend	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 17:28
S13	894	"349"/\$.ccls. and reflective adj electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/08 17:42

## EAST Search History

S17	627	349/38.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 15:25
S24	641	349/38-48.ccls. and storage adj capacitor same (aperture hole opening gap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:33
S25	608	349/38-48.ccls. and storage adj capacitor same (aperture hole opening gap) same electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:01
S26	119	349/38-48.ccls. and storage adj capacitor same (aperture hole opening gap).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:10
S29	119	S26 and storage adj capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:12
S30	119	S29 and storage adj capacitor same (aperture hole opening gap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:12
S31	108	S29 and storage adj capacitor same (aperture hole opening gap) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:13
S33	668	349/38.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 17:24

## EAST Search History

S35	126	349/38-48.ccls. and (splay spray bend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:34
S37	9	349/38-48.ccls. and reflective adj pixel adj electrode same (indium ITO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 17:07
S38	430	349/38-48.ccls. and pixel adj electrode same (indium ITO) same (reflective aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:40
S39	392	349/38-48.ccls. and pixel adj electrode same (indium ITO) same (reflective aluminum) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:43
S40	240	349/38-48.ccls. and pixel adj electrode same (indium IZO) same (reflective aluminum) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:43
S41	28715	(liquid adj crystal).clm.	USPAT	OR	ON	2007/01/02 17:07
S42	210004	(gate scan scanning).clm.	USPAT	OR	ON	2007/01/02 17:12
S43	794715	(data signal).clm.	USPAT	OR	ON	2007/01/02 17:07
S44	4406	(pixel adj electrode).clm.	USPAT	OR	ON	2007/01/02 17:09
S45	4663	(storage adj capacitor).clm.	USPAT	OR	ON	2007/01/02 17:09
S46	106782	(first another one) adj (aperture gap open opening hole space slit).clm.	USPAT	OR	ON	2007/01/02 17:12
S47	104332	(second another plurality plural) adj (aperture gap open opening hole space slit).clm.	USPAT	OR	ON	2007/01/02 17:12
S48	10	S41 and S42 and S43 and S44 and S45 and S46 and S47	USPAT	OR	ON	2007/01/02 17:13